

Selected Publications

1. Chou, S.K. and Lee, Y.K. "A simplified overall thermal transfer value equation for building envelopes". *Energy*, **13**, 657-670 (1988).
2. Chou, S.K. and Chang, W.L. "Development of an energy-estimating equation for large commercial buildings". *International Journal of Energy Research*, **17**, 759-773 (1993).
3. Chou, S.K., Wong, Y.W. and Chang, W. L. "Effects of multi-parameter changes on energy use of large buildings". *International Journal of Energy Research*, **17**, 885-903 (1993).
4. Chou, S.K., Hawlader, M.N.A., Ho, J.C., Wijeysondera, N.E. and Rajasekar, S. "Performance of a heat-pump assisted dryer". *International Journal of Energy Research*, **18**, 605-622 (1994).
5. Chou, S.K., Chang, W.L., Wong, Y.W. and Yap, C.R. "Efficient energy performance of large commercial buildings in tropical climates". *Energy Conversion and Management*, **35**, 751-763 (1994).
6. Chou, S.K. Wijeysondera, N.E. and Jayamaha, S.E.G. "Determining the heat flow through building walls under simulated actual weather patterns". *International Journal of Energy Research*, **19**, 243-251 (1995).
7. Chou, S.K. and Chang, W.L. "A generalised methodology for determining the total heat gain through building envelopes". *International Journal of Energy Research*, **20**, 887-901 (1996).
8. Jayamaha, S.E.G., Wijeysondera, N.E. and Chou, S.K. "Measurement of the heat transfer coefficient for walls". *Building and Environment*, **31**, 399-407 (1996).
9. Jayamaha, S.E.G., Chou, S.K. and Wijeysondera, N.E. "Drying of porous materials in the presence of solar radiation". *Drying Technology*, **14**, 2339-2369 (1996).
10. Chou, S.K. and Chang, W.L. "Large building cooling load and energy use estimation". *International Journal of Energy Research*, **21**, 169-183 (1997).
11. Chou, S.K., Hawlader, M.N.A., Chua, K.J. and Teo, C C. "A methodology for tunnel dryer chamber design". *International Journal of Energy Research*, **21**, 395-410 (1997).
12. Chou, S.K., Hawlader, M.N.A. and Chua, E.K.J. "On the drying of food products in a tunnel dryer". *Drying Technology*, **15**, 857-880 (1997).

13. Chou, S.K., Hawlader, M.N.A, and Chua, E.K.J. "Identification of the receding evaporation front in convective food drying". *Drying Technology*, **15**, 1353-1376 (1997).
14. Jayamaha, S.E.G., Wijeysondera, N.E. and Chou, S.K. "Effect of rain on the heat gain through building walls in tropical climates". *Building and Environment*, **32**, 465-477 (1997).
15. Hawlader, M.N.A, Chou, S.K. and Chua, K.J. "Development of design charts for tunnel dryers". *International Journal of Energy Research*, **21**, 1023-1037 (1997).
16. Jayamaha, S.E.G., Chou, S.K. and Wijeysondera, N.E. "Accounting for rain effects in building energy estimation". *International Journal of Energy Research*, **22**, 61-71 (1998).
17. Hong, T., Chou, S.K., and Bong, T.Y. "A design day for building load and energy estimation". *Building and Environment*, **34**, pp 469-477 (1999).
18. Chou, S.K., Hawlader, M.N.A., Ho J.C., and Chua, K.J. "The contact factor for dryer performance and design". *International Journal of Energy Research*, **23**, 1277-1291 (1999).
19. Hong, T., Chou, S.K., and Bong, T.Y. "Building Simulation: An overview of developments and information sources". *Building and Environment*, **35**, 347-361 (2000).
20. Chua, K.J., Mujumdar, A.S., Chou, S.K., Hawlader, M.N.A., and Ho, J.C. "Convective drying of banana, guava and potato pieces : Effect of cyclical variations of air temperature on convective drying kinetics and colour change". *Drying Technology-An International Journal*, **18**, 2000, 907-936 (2000).
21. Chou S.K., Chua K.J., Mujumdar A.S., Hawlader M.N.A., and Ho J.C. "On the intermittent drying of an agricultural product". *Food and Bioproducts Processing*, **78** (C4), 193-203, 2000.
22. Chua, K.J., Mujumdar, A.S., Hawlader, M.N.A., Chou, S.K., and Ho, J.C. "Study of stepwise change in drying air temperature during batch drying of agricultural products". *Food Research International*, **34**, 721-731(2001).
23. Chou, S.K., Yang, P.R., and Yap, C.R. "Maximum mass flow ratio due to secondary flow choking in an ejector refrigeration system". *International Journal of Refrigeration*, **24**, 486-499 (2001).
24. Ho, J.C. Chou, S.K., Mujumdar, A.S., Hawlader, M.N.A., and Chua, K.J. "An optimisation framework for drying of a heat-sensitive product. *Applied Thermal Engineering*", **21**, 1779-1798 (2001).
25. Hawlader, M.N.A., Chou, S.K., and Ullah, M.Z. "The performance of a solar assisted heat pump water heating system". *Applied Thermal Engineering*, **21**, 1049-1065 (2001).
26. Chou, S.K., and Chua, K.J. "New Hybrid Drying Technologies for Heat Sensitive Foodstuffs". *Trends in Food Science and Technology*, **12**, 359-369 (2001).
27. Chua, K.J., Mujumdar, A. S., Hawlader, M.N.A., Chou, S.K., and Ho, J.C. "Convective drying of agricultural products - Effect of continuous and stepwise change in drying air temperature". *Drying Technology-An International Journal*, **19**, 1949-1960 (2001).
28. Ho, J.C., Chou, S.K., Chua, K.J., Mujumdar, A.S., and Hawlader, M.N.A. "Analytical study of cyclic temperature drying: Effect on drying kinetics and product quality". *Journal of Food Engineering*, **51**, 65-75 (2002).
29. Chua, K J., Chou, S.K., Hawlader, M.N.A., Ho, J.C., and Mujumdar, A. S. "On the study of time-varying temperature drying - Effect on drying kinetics and product quality". *Drying Technology-An International Journal*, HPD special issue, **20**, 1579-1610 (2002).
30. Chua, K.J., Chou, S.K., Mujumdar, A.S., Ho, J.C., and Hawlader, M.N.A. "Heat pump drying: Recent developments and future trends". *Drying Technology-An International Journal*, HPD special issue, **20**, 1559-1577 (2002).
31. Chua, K.J., Chou, S.K., Hawlader, M.N.A., Mujumdar, A.S., and Ho, J.C. "Modelling the moisture and temperature distribution within an agricultural product undergoing time-varying drying schemes". *Biosystems Engineering*, **81**, 99-111 (2002).
32. Yang, W.M., Chou, S.K., Shu, C., Xue, H., and Li, Z.W. "Combustion in micro cylindrical combustors with and without a backward facing step". *Applied Thermal Engineering*, **22**, 1777-1787 (2002).
33. Yang, W.M., Chou, S.K., Shu, C., Xue, H., and Li, Z.W. "Development of a micro thermophotovoltaic system", *Applied Physics Letters*, **81**, 5255-5257 (2002).
34. Chou, S.K., Chua, K.J., and Lee S.M. "On the use of contact factor parameter to optimise heat pump drying". *Energy Conversion and Management*, **44**, 1451-1464 (2003).

35. Chua, K.J., Mujumdar, A.S., and Chou, S.K. "A review on intermittent drying processes", *Bioresource Technology*, **90**, 285-295 (2003).
36. Yang, W.M., Chou, S.K., Shu, C., Xue, H., Li, Z.W., Li, D.T., and Pan, J.F. "Microscale combustion research for application to micro thermophotovoltaic systems". *Energy Conversion and Management*, **44**, 2625-2634 (2003)
37. Hawlader, M.N.A., Chou, S K., Jahangeer, K.A., Rahman, S.M.A., and Lau, K.W. Eugene. "Solar-assisted heat-pump dryer and water heater". *Applied Energy*, **74**, 185-193 (2003).
38. Chua, K.J., Chou, S.K., and Ho, J.C. "A comparative study of time-varying thermal and non-thermal drying methods for bioproducts". *Applied Biotechnology Food Science and Policy*, **1**, 115-123 (2003)
39. Chou, S.K. and Chua, K.J. "On the Study of the drying behavior of a heat-sensitive biomaterial undergoing stepwise-varying temperature schemes". *Industrial and Engineering Chemistry Research*, **42**, 4939-4952 (2003).
40. Chua, K.J. and Chou, S.K. "Low-cost drying technologies for developing countries". *Trends in Food Science and Technology*, **14**, 519-528 (2003).
41. Zhang, K.L., Chou, S.K., Ang, Simon S., Tang, X.S., and Phang, J. S. "Investigation of Solid Propellant Microthrusters". *International Journal of Computational Engineering Science*, **4**, 517-520 (2003).
42. Yang, W.M., Chou, S.K., Shu, C., Xue, H., and Li, Z.W. "Development of a prototype micro-thermophotovoltaic power generator". *Journal of Physics D: Applied Physics*, **37**, 1017-1020 (2004).
43. Yang, W.M., Chou, S.K., Shu, C., Li, Z.W. and Xue, H. "A prototype microthermophotovoltaic power generator". *Applied Physics Letters*, **84**, 3864-3866 (2004).
44. Chua, K.J., Chou, S.K., Mujumdar, A.S., Ho, J.C. and Hon, C.K. "Radiant-convective drying of osmotic treated agro-products: effect on drying kinetics and product quality". *Food Control*, **15**, 145-158 (2004).
45. Chua, K.J. and Chou, S.K. "Evaluating a pressure regulatory system for drying of heat-sensitive bioproducts". *Journal of Food Engineering*, **62**, 151-158 (2004).
46. Chou, S.K., Chua, K.J., Ho, J.C., and Ooi, C.L. "On the study of an energy efficient greenhouse for heating, cooling and dehumidification applications". *Applied Energy*, **77**, 355-373 (2004).
47. Ho, J.C., Chua, K.J. and Chou, S.K. "Performance study of a microturbine system for cogeneration". *Renewable Energy*, **29**, 1121-1133 (2004).
48. Zhang, K., Chou, S.K. and Ang, Simon S. "MEMS-based solid propellant microthruster design, simulation, fabrication and testing". *IEE/ASME Journal of Microelectromechanical Systems*, **13**, 165-175 (2004).
49. Zhang, K.L., Chou, S.K. and Ang, Simon S. "Development of a solid propellant microthruster with chamber and nozzle etched on a wafer surface". *Journal of Micromechanics & Microengineering*, **14**, 785-792 (2004).
50. Li, Z.W., Chou, S.K., Shu, C., Yang, W.M. and Xue, H. "Predicting the temperature of a premixed flame in a microcombustor". *Journal of Applied Physics*, **96**, 3524-3530 (2004).
51. Yang, W.M, Chou, S.K., Shu, C., Li, Z.W. and Xue, H. "Design, fabrication and testing of a prototype microthermophotovoltaic system". *IEE/ASME Journal of Microelectromechanical Systems*, **13**, 851-858 (2004).
52. Chua, K.J. and Chou, S.K. "A modular approach to study the performance of a two-stage heat pump system for drying". *Applied Thermal Energy*, **25**, 1363-1379 (2005).
53. Chua, K.J., Ho J.C., Chou S K. and Islam M.R. "On the study of the temperature distribution within a human eye subjected to a laser source". *International Communications in Heat and Mass Transfer*, **32**, 1057-1065 (2005).
54. Chua, K.J. and Chou, S.K. "A comparative study between intermittent microwave and infrared drying of agro-products". *International Journal of Food Science and Technology*, **40**, 23-29 (2005).
55. Li, Z.W., Chou, S.K., Shu, C., Xue, H., and Yang, W.M. "Characteristics of combustion in cylindrical microcombustors with different diameters". *Applied Thermal Engineering*, **25**, 217-281 (2005).
56. Yang, W.M, Chou, S.K., Shu, C., Li, Z.W. and Xue, H. "Effect of wall thickness of micro combustor on the performance of micro thermophotovoltaic system". *Sensors and Actuators A: Physical*, **119**, 441-445 (2005).
57. Li, Z.W., Chou, S.K., Shu, C., and Yang, W.M. "Effects of step height on wall temperature of a microcombustor". *Journal of Micromechanics and Microengineering*, **15**, 207-212 (2005).

58. Zhang, K.L., Chou, S.K., and Ang, Simon S. "Development of a low temperature co-fired ceramic solid propellant microthruster". *Journal of Micromechanics & Microengineering*, **15**, 944-952 (2005).
59. Li, Z.W., Chou, S.K., Shu, C., and Yang, W.M. "Entropy generation during microcombustion". *Journal of Applied Physics*, **97**, 084914/8 (2005).
60. Yang, W.M, Chou, S.K., Shu, C., Li, Z.W., and Xue, H. "Performance of micro-thermophotovoltaic power generators with different emitting materials". *Journal of Micromechanics and Microengineering*, **15**, s239-s246 (2005).
61. Zhang, K L, Chou, S.K., Ang, S.S., and Tang, X.S. "A MEMS-based solid propellant microthruster with Au/Ti ignitor". *Sensors and Actuators A: Physical*, **122**, 113-123 (2005).
62. Yang W.M., Chou, S. K., Shu, C., Li, Z. W., Xue, H., "Study of catalytic combustion and its effect on microthermophotovoltaic power generators". *Journal of Physics D: Applied Physics*, **38**, 4252-4255 (2005).
63. Zhang, K L, Chou, S. K., and Ang, Simon S. "Performance prediction of a novel solid propellant microthruster". *AIAA Journal of Propulsion and Power*, **22**, 55-63 (2005).
64. Chou, S.K., Chua, K. J., Teoh, S.H., and Ho, J.C. "Drying of porcine dermal tissue via pressure swing adsorption". *Drying Technology*, **24**, 973-982 (2006).
65. Xue, H., Yang, W.M., Chou, S.K., Shu, C., and Li Z.W. "Catalytic effect of microcombustion in micro thermophotovoltaic system". *Nanoscale and Microscale Thermo Physical Engineering*, **10**, 275-282 (2006).
66. Chua, K.J., Chou, S.K., and Ho, J.C. "An analytical study on the thermal effects of cryosurgery on selective cell destruction". *Journal of Biomechanics*, **40**, 100-116 (2007).
67. Zhang, K.L., Chou, S.K., and Ang, S.S. "Investigation on the ignition of a MEMS solid propellant microthruster before propellant combustion". *Journal of Micromechanics and Microengineering*, **17**, 322-332 (2007).
68. Zhang, K. L., Chou, S K., and Ang, S. S. "Fabrication, modelling and testing of a thin film Au/Ti microheater". *International Journal of Thermal Sciences*, **46**, 580-588 (2007).
69. Chou, S.K., Chua, K.J., Teoh, S.H., Lim, K.K., and Sun, W.Q. "Development of a novel pressure swing adsorption dehydration system for the preservation of dermal tissue". *Materials Science & Engineering C – Biomimetic & Supramolecular Systems*, **27**, 313-324 (2007).
70. Yang W.M., Chou, S.K., Shu, C., Li, Z. W., and Xue, H. "Experimental study of micro-thermophotovoltaic systems with different combustor configurations". *Energy Conversion and Management*, **48**, 1238-1244 (2007).
71. Yang W.M., Chou, S.K., and Shu, C. "Effect of current-collector structure on performance of passive micro direct methanol fuel cell". *Journal of Power Sources*, **164**, 549-554 (2007).
72. Chua, K.J., Ho, J.C., and Chou, S.K. "A comparative study of different control strategies for indoor air humidity". *Energy and Buildings*, **39**, 537-545 (2007).
73. Xi, X.C., Poo, A.N., and Chou, S.K. "Support vector regression model predictive control on a HVAC plant". *Control Engineering Practice*, **15**, 897-908 (2007).
74. Chua, K.J., Chou, S.K. and Ho, J.C. "A model to study the effects of different control strategies on space humidity during part-load conditions". *Building and Environment*, **43(12)**, 2074-2089 (2008).
75. Li, J., Chou, S.K., Li, Z.W., and Yang, W.M. "A comparative study of H₂-air premixed flame in micro combustors with different physical and boundary conditions". *Combustion Theory and Modelling*, **12**, 325-347 (2008).
76. Li, J., Chou, S.K., Yang, W.M., and Li, Z.W. "Experimental and numerical study of the wall temperature of cylindrical micro combustors". *Journal of Micromechanics and Microengineering*, **19**, 015019 (2009).
77. Li, J., Chou, S.K., Li, Z.W., and Yang, W.M. "Development of 1D model for the analysis of heat transport in cylindrical micro combustors". *Applied Thermal Engineering*, **29**, 1854-1863 (2009).
78. Li, J., Chou, S.K., Huang, G., Yang, W.M., and Li, Z.W. "Study on premixed combustion in cylindrical micro combustors: transient flame behavior and wall heat flux". *Experimental Thermal and Fluid Science*, **33**, 764-773 (2009).

79. Li, J., Chou, S.K., Yang, W.M., and Li, Z.W. "A numerical study on premixed micro combustion of CH₄-air mixture: effects of combustor size, geometry and boundary conditions on flame temperature". *Chemical Engineering Journal*, **150**, 213-222 (2009).
80. Li, J., Chou, S.K., Li, Z.W., and Yang, W.M. "A potential heat source for the micro-thermophotovoltaic (TPV) system". *Chemical Engineering Science*, **64**, 3282-3289 (2009).
81. Chou, S. K., Chua, K. J. and Ho, J. C. "A study on the effects of double skin facades on the energy management in buildings". *Energy Conversion and Management*, **50**, 2275-2281 (2009).
82. Li, J., Chou, S.K., Li, Z.W., and Yang, W.M. "Characterization of wall temperature and radiation power through cylindrical dump micro-combustors". *Combustion and Flame*, **156**, 1587-1593 (2009).
83. Chua, K.J., and Chou, S.K. "On the study of the freeze-thaw thermal process of a biological system". *Applied Thermal Engineering*, **29**, 3696-3709 (2009).
84. Li, J., Chou, S.K., Li, Z.W., and Yang, W.M. "A potential heat source for the micro-thermophotovoltaic (TPV) system". *Chemical Engineering Science*, **64**, 3282-3289 (2009).
85. Chua, K.J., and Chou, S.K. "An ETTV-based approach to improving the energy performance of commercial buildings". *Energy and Buildings*, **42**, 491-499 (2010).
86. Chua, K.J. and Chou, S.K. "Energy performance of residential buildings in Singapore". *Energy*, **35**, 667-678 (2010).
87. Lian, Z.T., Chua, K.J., and Chou, S.K. "A thermoeconomic analysis of biomass energy for trigeneration". *Applied Energy*, **87**, 84-95 (2010).
88. Li, J., Chou, S.K., Li, Z.W., and Yang, W.M. "Experimental investigation of porous media combustion in a planar micro-combustor". *Fuel*, **89**, 708-715 (2010).
89. Chua, K.J., Chou, S.K., and Yang, W.M. "Advances in heat pump systems: A review", *Applied Energy*, **87**, 3611-3624 (2010).
90. Li, J., Chou, S.K., Li, Z.W., and Yang, W.M. "Development of one dimensional model to predict the flame temperature in cylindrical micro combustors". *Heat Transfer Engineering*, **31**, 581-591 (2010).
91. Yang, W.M., Chou, S.K., Pan, J.F., Li J. and Zhao, X. "Comparison of cylindrical and modular micro combustor-radiator for micro-TPV system application". *Journal of Micromechanics and Microengineering*, **20**, 085003-1-8 (2010).
92. Chou, S.K., Yang, W.M., Li, J. and Li, Z.W. "Porous media combustion for micro-thermophotovoltaic system application". *Applied Energy*, **87**, 2862-2867 (2010).
93. Chou, S.K., Yang, W.M., and Li, J. "Modular combustor-radiator for micro-TPV application". *AST-Advances in Science & Technology*, **74**, 93-98 (2010).
94. Pan, J. F., Yang, W.M., Tang, A.K., Chou, S.K., Duan, L., Li, X.C., and Xue, H. "Micro combustion in sub-millimeter channels for novel modular thermophotovoltaic power generators". *Journal of Micromechanics and Microengineering*, **20**, 125021 (2010).
95. Chua, K.J.E. and Chou, S.K. "A performance-based method for energy efficiency improvement of buildings". *Energy Conversion and Management*, **52**, 1829-1839 (2011).
96. Chou, S.K., Yang, W.M., Li, J., Chua, K.J.E., and Zhang, K.L. "Development of micro power generators - A review". *Applied Energy*, **88**, 1-16 (2011).
97. Yang, W.M., Chou, S.K., and Chua, K.J.E. Chua. "Research on modular micro combustor-radiator with and without porous media". *Chemical Engineering Journal*, **168**, 799-802 (2011).
98. Balasubramanian, K., Lee, P.S., Jin, L.W., Chou, S.K., Teo, C.J. Teo and Gao Shan. "Experimental investigations of flow boiling heat transfer and pressure drop in straight and expanding microchannels- a comparative study". *International Journal of Thermal Sciences*, **50**, 2413-2421 (2011).
99. Lee, Y.J., Lee, P.S., and Chou, S.K. "Enhanced thermal transport in microchannel using oblique fins". *Journal of Heat Transfer, Transactions ASME*, **134**, (2012).
100. Yang, W.M., Jiang, D.Y., Chou, S.K., Chua, K.J., An, H., and Karthikeyan, K. "Experimental study on micro modular combustor for micro-thermophotovoltaic system application". *International Journal of Hydrogen Energy*, **37**, (2012) 9576-9583.

101. An, H., Yang, W.M., Chou, S.K., Chua, K.J., Balaji, M., Vedharaj, S., and Vallinayagam, R. "Performance and emissions characteristics of diesel engine fueled by biodiesel at partial load conditions". *Applied Energy*, **99**, 363-371 (2012).
102. Karthikeyan, K., Chou, S.K., Khoong, L.E., Tan, Y.M., Lu, C.W., and Yang, W.M. "Low temperature co-fired ceramic vaporizing liquid microthruster for microspacecraft applications". *Applied Energy*, **97**, 577-583 (2012).
103. An, H., Yang, W.M., Amin, M., Chou, S.K., and Chua, K.J.E., Detailed physical properties prediction of pure methyl esters for biodiesel combustion modelling, *Applied Energy*, **102**, 647-656 (2013).
104. Chua, K.J., Chou, S.K., Yang, W.M., and Yan, J. "Achieving better energy-efficient air conditioning - A review of technologies and strategies", *Applied Energy* **104**, 87-104 (2013).
105. Yang, W.M., An, H., Chou, S.K., Vedharaj, S., Vallinayagam, R., Balaji, M., Mohammad, F.E.A., and Chua, K.J., "Emulsion fuel with novel nano-organic additives for diesel engine application", *Fuel*, **92**, 726-731 (2013).
106. Chua, K.J., Zhao, X., and Chou, S.K. "Effects of crucial parameters on the freezing delivery in the cryosurgical system", *Applied Thermal Engineering*, **51 (1-2)**, 734-741 (2013).
107. An, H., Yang, W.M., Maghbouli, A., Li, J., Chou, S.K., and Chua, K.J., A numerical study on a hydrogen assisted diesel engine, *International Journal of Hydrogen Energy*, **38**, 2919-2928 (2013).
108. Vallinayagam, R., Vedharaj, S., Yang, W.M., Lee, P.S., Chou, S.K., Chua, K.J., Combustion performance and emissions characteristics study of pine oil in a diesel engine, *Energy*, **57**, 344-351 (2013).
109. Vallinayagam, R., Vedharaj, S., Yang, W.M., Saravanan, C.G., Lee, P.S., Chua, K.J.E., and Chou, S.K. "Emission reduction from a diesel engine fueled by pine oil biofuel using SCR and catalytic converter", *Atmospheric Environment*, **80**, 190-197 (2013).